Journal of Biomedical Materials Research (Applied Biomaterials) Author Index to Volume 68B

Abbasi, F. *See* Mirzadeh, H., 191
Abd El-Rehim, H. A.
—; El-Arnaouty, M. B.: Properties and biocompatibility of polypropylene graft copolymer films, 209
Ahossi, V. *See* Szmukler-Moncler, S., 149
Allegrini, S., Jr.
—; Yoshimoto, M., Salles, M. B., König, B., Jr.: Bone regeneration in rabbit sinus lifting associated with bovine BMP, 127
Aloisi, A. M. *See* Bonifazi, M., 53
Amadio, P. C. *See* Yang, C., 15
An, K.-N. *See* Yang, C., 15
Asaoka, K. *See* Kon, M., 88
Astoin, E. *See* Massin, P., 140

Barbucci, R.
—; Leone, G.: Formation of defined microporous 3D structures starting from crosslinked hydrogels, 117
Baroud, G.
—; Matsushita, C., Samara, M., Beckman, L., Steffen, T.: Influence of oscillatory mixing on the injectability of three acrylic and two calcium-phosphate bone cements for vertebroplasty, 105
—; Samara, M., Steffen, T.: Influence of mixing method on the cement temperature-mixing time history and doughing time of three acrylic cements for vertebroplasty, 112
Beckman, L. *See* Baroud, G., 105
Bernard, J. P. *See* Szmukler-Moncler, S., 149
Bonifazi, M.
—; Aloisi, A. M., Ceccarelli, I., Lamponi, S., Lodi, L., Scaramuzzino, A., Stabile, E., Lupo, C.: Platelet adhesion and aggregation on polyethylene: Effect of exhaustive exercise, 53
Busscher, H. J. *See* van der Borden, A. J., 160

Cai, Z. *See* Lee, K. M., 168
Carrodeguas, R. G.
—; Vázquez Lasa, B., San Román del Barrio, J.: Injectable acrylic bone cements for vertebroplasty with improved properties, 94
Ceccarelli, I. *See* Bonifazi, M., 53
Chaput, M. P. *See* Walsh, D. L., 81
Choi, J.-Y. *See* Lee, J. K., 216

Denry, I. L.
—; Holloway, J. A.: Effect of post-processing heat treatment on the fracture strength of a heat-pressed dental ceramic, 174
Duda, G. N.
—; Kliche, A., Kleemann, R., Hoffmann, J. E., Sittinger, M., Haisch, A.: Does low-intensity pulsed ultrasound stimulate maturation of tissue-engineered cartilage?, 21
Duponchel, B. *See* Massin, P., 140

El-Arnaouty, M. B. *See* Abd El-Rehim, H. A., 209
Essner, A. *See* Wang, A., 45

Flautre, B. *See* Massin, P., 140

Griggs, J. A. *See* Lee, K. M., 168
Guistas, L. *See* Lee, K. M., 168

Haisch, A. *See* Duda, G. N., 21
Hardouin, P. *See* Massin, P., 140
Hashimoto, M. *See* Yoshida, E., 29
Hayami, T. *See* Ushio, K., 59
Hench, L. L. *See* Jones J. R., 36
Hirakata, L. M. *See* Kon, M., 88
Hoffmann, J. E. *See* Duda, G. N., 21
Holloway, J. A. *See* Denry, I. L., 174
Hori, M. *See* Yoshida, E., 29
Hyon, S.-H. *See* Ushio, K., 59

Iesaka, K.
—; Jaffe, W. L., Kummer, F. J.: Effects of the initial temperature of acrylic bone cement liquid monomer on the properties of the stem–cement interface and cement polymerization, 186
Iezzi, G. *See* Orsini, G., 199

Jaffe, W. L. *See* Iesaka, K., 186
Jones, J. R.
—; Hench, L. L.: Factors effecting the structure and properties of bioactive foam scaffolds for tissue engineering, 36

Kaga, M. *See* Yoshida, E., 29
Kawanabe, K. *See* Shinzato, S., 132
Keidan, I. *See* Wiseman, D., 222
Kim, S.-H.
—; Shin, J.-W., Park, S.-A., Kim, Y. K., Park, M. S., Mok, J. M., Yang, W. I., Lee, J. W.: Chemical, structural properties, and osteoconductive effectiveness of bone block derived from porcine cancellous bone, 69
Kim, Y. K. *See* Kim, S.-H., 69
Kisielewski, R. W. *See* Walsh, D. L., 81
Kleemann, R. *See* Duda, G. N., 21
Kliche, A. *See* Duda, G. N., 21
Ko, M.-T. *See* Lu, H.-K., 75
Kokubo, T. *See* Shinzato, S., 132
Kon, M.
—; Hirakata, L. M., Asaoka, K.: Porous Ti-6Al-4V alloy fabricated by spark plasma sintering for biomimetic surface modification, 88
König, B., Jr. *See* Allegrini, S., Jr., 127
Kotz, R. M. *See* Walsh, D. L., 81
Kummer, F. J. *See* Iesaka, K., 186

Lamponi, S. *See* Bonifazi, M., 53
Lee, D. J. *See* Lee, K. M., 168
Lee, J. K.
—; Choi, J.-Y., Lim, B.-S., Lee, Y.-K., Sakaguchi, R. L.: Change of properties during storage of a UDMA/TEGDMA dental resin, 216
Lee, J. W. *See* Kim, S.-H., 69
Lee, K. M.
—; Cai, Z., Griggs, J. A., Guiatas, L., Lee, D. J., Okabe, T.: SEM/EDS evaluation of porcelain adherence to gold-coated cast titanium, 168
Lee, Y.-K. *See* Lee, J. K., 216
Leone, G. *See* Barbucci, R., 117
Lim, B.-S. *See* Lee, J. K., 216
Lodi, L. *See* Bonifazi, M., 53
Lu, H.-K.
—; Ko, M.-T., Wu, M.-F.: Comparison of Th1/Th2 cytokine profiles of initial wound healing of rats induced by PDCM and e-PTFE, 75
Lupo, C. *See* Bonifazi, M., 53
Lyachovetsky, Y. *See* Wiseman, D., 222

Magnin, G. *See* Szmukler-Moncler, S., 149
Massin, P.
—; Viguier, E., Flautre, B., Hardouin, P., Astoin, E., Duponchel, B.: Migration of polyethylene debris along well-fixed cemented implants, 140
Matsumura, K. *See* Ushio, K., 59
Matsushita, C. *See* Baroud, G., 105
Milner, R.
—; The developement of theoretical relationships between some handling parameters (setting time and setting temperature),

Journal of Biomedical Materials Research (Applied Biomaterials) Author Index to Volume 68B

Abbasi, F. *See* Mirzadeh, H., 191
Abd El-Rehim, H. A.
—; El-Arnaouty, M. B.: Properties and biocompatibility of polypropylene graft copolymer films, 209
Ahossi, V. *See* Szmukler-Moncler, S., 149
Allegrini, S., Jr.
—; Yoshimoto, M., Salles, M. B., König, B., Jr.: Bone regeneration in rabbit sinus lifting associated with bovine BMP, 127
Aloisi, A. M. *See* Bonifazi, M., 53
Amadio, P. C. *See* Yang, C., 15
An, K.-N. *See* Yang, C., 15
Asaoka, K. *See* Kon, M., 88
Astoin, E. *See* Massin, P., 140

Barbucci, R.
—; Leone, G.: Formation of defined microporous 3D structures starting from crosslinked hydrogels, 117
Baroud, G.
—; Matsushita, C., Samara, M., Beckman, L., Steffen, T.: Influence of oscillatory mixing on the injectability of three acrylic and two calcium-phosphate bone cements for vertebroplasty, 105
—; Samara, M., Steffen, T.: Influence of mixing method on the cement temperature-mixing time history and doughing time of three acrylic cements for vertebroplasty, 112
Beckman, L. *See* Baroud, G., 105
Bernard, J. P. *See* Szmukler-Moncler, S., 149
Bonifazi, M.
—; Aloisi, A. M., Ceccarelli, I., Lamponi, S., Lodi, L., Scaramuzzino, A., Stabile, E., Lupo, C.: Platelet adhesion and aggregation on polyethylene: Effect of exhaustive exercise, 53
Busscher, H. J. *See* van der Borden, A. J., 160

Cai, Z. *See* Lee, K. M., 168
Carrodeguas, R. G.
—; Vázquez Lasa, B., San Román del Barrio, J.: Injectable acrylic bone cements for vertebroplasty with improved properties, 94
Ceccarelli, I. *See* Bonifazi, M., 53
Chaput, M. P. *See* Walsh, D. L., 81
Choi, J.-Y. *See* Lee, J. K., 216

Denry, I. L.
—; Holloway, J. A.: Effect of post-processing heat treatment on the fracture strength of a heat-pressed dental ceramic, 174
Duda, G. N.
—; Kliche, A., Kleemann, R., Hoffmann, J. E., Sittinger, M., Haisch, A.: Does low-intensity pulsed ultrasound stimulate maturation of tissue-engineered cartilage?, 21
Duponchel, B. *See* Massin, P., 140

El-Arnaouty, M. B. *See* Abd El-Rehim, H. A., 209
Essner, A. *See* Wang, A., 45

Flautre, B. *See* Massin, P., 140

Griggs, J. A. *See* Lee, K. M., 168
Guistas, L. *See* Lee, K. M., 168

Haisch, A. *See* Duda, G. N., 21
Hardouin, P. *See* Massin, P., 140
Hashimoto, M. *See* Yoshida, E., 29
Hayami, T. *See* Ushio, K., 59
Hench, L. L. *See* Jones J. R., 36
Hirakata, L. M. *See* Kon, M., 88
Hoffmann, J. E. *See* Duda, G. N., 21
Holloway, J. A. *See* Denry, I. L., 174
Hori, M. *See* Yoshida, E., 29
Hyon, S.-H. *See* Ushio, K., 59

Iesaka, K.
—; Jaffe, W. L., Kummer, F. J.: Effects of the initial temperature of acrylic bone cement liquid monomer on the properties of the stem–cement interface and cement polymerization, 186
Iezzi, G. *See* Orsini, G., 199

Jaffe, W. L. *See* Iesaka, K., 186
Jones, J. R.
—; Hench, L. L.: Factors effecting the structure and properties of bioactive foam scaffolds for tissue engineering, 36

Kaga, M. *See* Yoshida, E., 29
Kawanabe, K. *See* Shinzato, S., 132
Keidan, I. *See* Wiseman, D., 222
Kim, S.-H.
—; Shin, J.-W., Park, S.-A., Kim, Y. K., Park, M. S., Mok, J. M., Yang, W. I., Lee, J. W.: Chemical, structural properties, and osteoconductive effectiveness of bone block derived from porcine cancellous bone, 69
Kim, Y. K. *See* Kim, S.-H., 69
Kisielewski, R. W. *See* Walsh, D. L., 81
Kleemann, R. *See* Duda, G. N., 21
Kliche, A. *See* Duda, G. N., 21
Ko, M.-T. *See* Lu, H.-K., 75
Kokubo, T. *See* Shinzato, S., 132
Kon, M.
—; Hirakata, L. M., Asaoka, K.: Porous Ti-6Al-4V alloy fabricated by spark plasma sintering for biomimetic surface modification, 88
König, B., Jr. *See* Allegrini, S., Jr., 127
Kotz, R. M. *See* Walsh, D. L., 81
Kummer, F. J. *See* Iesaka, K., 186

Lamponi, S. *See* Bonifazi, M., 53
Lee, D. J. *See* Lee, K. M., 168
Lee, J. K.
—; Choi, J.-Y., Lim, B.-S., Lee, Y.-K., Sakaguchi, R. L.: Change of properties during storage of a UDMA/TEGDMA dental resin, 216
Lee, J. W. *See* Kim, S.-H., 69
Lee, K. M.
—; Cai, Z., Griggs, J. A., Guiatas, L., Lee, D. J., Okabe, T.: SEM/EDS evaluation of porcelain adherence to gold-coated cast titanium, 168
Lee, Y.-K. *See* Lee, J. K., 216
Leone, G. *See* Barbucci, R., 117
Lim, B.-S. *See* Lee, J. K., 216
Lodi, L. *See* Bonifazi, M., 53
Lu, H.-K.
—; Ko, M.-T., Wu, M.-F.: Comparison of Th1/Th2 cytokine profiles of initial wound healing of rats induced by PDCM and e-PTFE, 75
Lupo, C. *See* Bonifazi, M., 53
Lyachovetsky, Y. *See* Wiseman, D., 222

Magnin, G. *See* Szmukler-Moncler, S., 149
Massin, P.
—; Viguier, E., Flautre, B., Hardouin, P., Astoin, E., Duponchel, B.: Migration of polyethylene debris along well-fixed cemented implants, 140
Matsumura, K. *See* Ushio, K., 59
Matsushita, C. *See* Baroud, G., 105
Milner, R.
—; The developement of theoretical relationships between some handling parameters (setting time and setting temperature),

composiiton (relative amounts of initiator and activator) and ambient temperature for acrylic bone cement, 180
Mirzadeh, H.
—; Abbasi, F.: Segmented detachable structure of cochlear-implant electrodes for close-hugging engagement with the modiolus, 191
Mok, J. M. *See* Kim, S.-H., 69

Nakamura, T. *See* Shinzato, S., 132; Ushio, K., 59
Nur, I. *See* Wiseman, D., 222

Oguchi, H. *See* Yoshida, E., 29
Oka, M. *See* Ushio, K., 59
Okabe, T. *See* Lee, K. M., 168
Orsini, G.
—; Ricci, J., Scarano, A., Pecora, G., Petrone, G., Iezzi, G., Piatelli, A.: Bone-defect healing with calcium-sulfate particles and cement: An experiment study in rabbit, 199

Park, M. S. *See* Kim, S.-H., 69
Park, S.-A. *See* Kim, S.-H., 69
Pecora, G. *See* Orsini, G., 199
Perrin, D. *See* Szmukler-Moncler, S., 149
Petrone, G. *See* Orsini, G., 199
Piatelli, A. *See* Orsini, G., 199
Poggie, R. A. *See* St. John, K. R., 1

Ricci, J. *See* Orsini, G., 199

Sakaguchi, R. L. *See* Lee, J. K., 216
Salles, M. B. *See* Allegrini, S., Jr., 127
Samara, M. *See* Baroud, G., 105, 112
San Román del Barrio, J. *See* Carrodeguas, R. G., 94
Sano, H. *See* Yoshida, E., 29
Scaramuzzino, A. *See* Bonifazi, M., 53
Scarano, A. *See* Orsini, G., 199
Schmidig, G. *See* Wang, A., 45
Schwerin, M. R. *See* Walsh, D. L., 81
Shin, J.-W. *See* Kim, S.-H., 69
Shinzato, S.
—; Nakamura, T., Kawanabe, K., Kokubo, T.: *In vivo* aging test for a bioactive bone cement consisting of glass bead filler and PMMA matrix, 132
Sittinger, M. *See* Duda, G. N., 21
St. John, K.
—; Zardiackas, L. D., Poggie, R. A.: Wear evaluation of cobalt–chromium alloy for use in a metal-on-metal hip prosthesis, 1
Stabile, E. *See* Bonifazi, M., 53
Steffen, T. *See* Baroud, G., 105, 112
Sun, Y.-l. *See* Yang, C., 15
Szmukler-Moncler, S.
—; Perrin, D., Ahossi, V., Magnin, G., Bernard, J. P.: Biological properties of acid etched titanium implants: Effect of sandblasting on bone anchorage, 149

To, T. M. *See* Walsh, D. L., 81
Toguchida, J. *See* Ushio, K., 59
Trout, J. R. *See* Wiseman, D., 222

Ushio, K.
—; Oka, M., Hyon, S.-H., Hayami, T., Yura, S., Matsumura, K., Toguchida, J., Nakamura, T: Attachment of artificial cartilage to underlying bone, 59

van der Borden, A. J.
—; van der Mei, H. C., Busscher, H. J.: Electric-current–induced detachment of *Staphylococcus Epidermidis* strains from surgical stainless steel, 160
van der Mei, H. C. *See* van der Borden, A. J., 160
Varney, G. W. *See* Walsh, D. L., 81
Vázquez Lasa, B. *See* Carrodeguas, R. G., 94
Viguier, E. *See* Massin, P., 140

Walsh, D. L.
—; Schwerin, M. R., Kisielewski, R. W., Kotz, R. M., Chaput, M. P., Varney, G. W., To, T. M.: Abrasion resistance of medical glove materials, 81
Wang, A.
—; Essner, A., Schmidig, G.: The effects of lubricant composition on *in vitro* wear testing of polymeric acetabular components, 45
Wiseman, D.
—; Lyachovetsky, Y., Keidan, I., Trout, J. R., Nur, I.: The effect of tranexamic acid in fibrin sealant on adhesion formation in the rat, 222
Wu, M.-F. *See* Lu, H.-K., 75

Yang, C.
—; Amadio, P. C., Sun, Y.-l., Zhao, C., Zobitz, M. E., An, K.-N., : Tendon surface modification by chemically modified HA coating after flexor digitorum profundus tendon repair, 15
Yang, W. I. *See* Kim, S.-H., 69
Yoshida, E.
—; Hashimoto, M., Hori, M., Kaga, M., Sano, H., Oguchi, H.: Deproteinizing effects on resin–tooth bond structures, 29
Yoshimoto, M. *See* Allegrini, S., Jr., 127
Yura, S. *See* Ushio, K., 59

Zardiackas, L. D. *See* St. John, K. R., 1
Zhao, C. *See* Yang, C., 15
Zobitz, M. E. *See* Yang, C., 15

Journal of Biomedical Materials Research (Applied Biomaterials) Subject Index to Volume 68B

Abrasion, 81
Acid etching, 149
Acrylic bone cement, 94
Acrylic bone cements, 112
Activation energy, 180
Adhesions, 222
Adhesive resin, 29
Aging test, 132
Anti-fibrinolytic agent, 222
Artificial cartilage, 59
Autogenous bone graft, 199

Barium titanate, 94
Bending strength, 132
Benzoyl peroxide, 180
Bioactive bone cement, 132
Bioactive glass, 36
Biocompatibility, 88
Biofilms, 160
Biomaterials, 127
Blood compatibility, 209
Bonding, 168
Bone cement, 180, 186
Bone-cement viscosity, 105
Bone-defect healing, 199
Bovine bone morphogenetic protein (BMPb), 127

Calcium phosphate, 69
Calcium-phosphate coating, 88
Calcium sulfate, 199
Carbodiimide derivatized HA, 15
Cartilage engineering, 21
Cartilage mechanics, 21
Casting, 168
Cement, 199
Cement augmentation, 105
Cement mixing, 105
Cemented implants, 140
Cobalt alloy, 1
Cochlear implant, 191
Composite osteochondral devicce, 59
Copolymer, 209
Cortisol, 53
Crack healing, 174
Crosseal™, 222

Degree of conversion, 216
Dentin, 29
Detachment, 160
Durability, 81
Dynamic mechanical properties, 216

Electric current, 160
Enamel, 29
e-PTFE, 75
Exercise, 53

FE modeling, 149
Fibrin sealant, 222
Flexor tendon, 15
Foam, 36
Fractography, 29
FT-IR analysis, 117

Glass, 132
Glass transition, 216
Gliding resistance, 15
Glove, 81
Grafting, 127

Heat treated, 69
Heat-pressed ceramic, 174
Hemaseel™, 222
Hip prosthesis, 1
Hyaluronic acid, 15
Hydrogel, 117
2-hydroxyethyl methacrylate, 191

Injectability, 94
Injection molding, 59
Interface, 186
Interpenetrating polymer network, 191

Kinetics, 180

Laser surface grafting, 191
Lubricant composition, 45

Manula mixing, 112
Metal on metal, 1
Metal-ceramic, 168
Monomer, 186

NaOCl, 29
N,N-dimethyl-p-toluidine, 180

Oscillatory mixing, 112
Osteoconductivity, 69

Particle migration, 140
Particle-induced osteolysis, 140
PDCM, 75
Percutaneous devices, 160
Periodontal regeneration, 75
Pin on disk, 1
Platelet adhesion, 53
Platelet aggregation, 53
Polyethylene, 53
Polyethylene debris, 140
Polymeric acetabular components, 45
Polymethyl methacrylate, 132
Polypropylene, 209
Polysaccharide, 117
Polytetrafluoroethylene (PTFE), 45
Polyvinyl alcohol hydrogel, 59
Porcine cancellous bone, 69
Porosity, 186
Porous morphology, 117
Post-irradiation, 216
Pseudo-plasticity, 105

Quixil®, 222

Rabbits, 127
Radiation grafting, 209
Radiopacity, 94
Rats, 222

Sandblasting, 149
Scaffold, 36
Segmented electrode, 191
SEM, 149
Shear strength, 186
Silicone rubber, 191
Sintering, 88
Sinus lift, 127
SLA, 149
Sodium acrylate, 209
Sol-gel macroporous, 36
Stainless steel, 160
Staphylococcus aureus, 160
Staphylococcus epidermidis, 160
Strength, 174
Strontium titanate, 94
Surface, 168

Surface modification, 88
Surface treatment, 149

Tear, 81
TEM, 29
Temperature-mixing time history, 112
Tendon repair, 15
Th1/Th2 cytokines, 75
TissuCol™, 222
Tissue maturation, 21
Titanium, 168
Titanium and titanium alloy, 88
Titanium fiber mesh, 59
Torque, 149
Tranexamic acid, 222

UDMA, 216
Ultrahigh molecular weight polyethylene (UHMWPE), 45
Ultrasound treatment, 21

Vacuum mixing, 186
Vertebroplasty, 105, 112
Viral penetration, 81

Water up-take, 117
Wear, 140
Wear simulation, 1

X-ray diffraction, 174